

**SAFETY DATA SHEET**

SDS: 1233

**1233 ALMATEK® GENERAL PURPOSE
LUBRICANT**

Issuing Date 04-24-2012

Revision Date 02-13-2019

Revision Number 2

**Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE
COMPANY/UNDERTAKING****1.1. Product Identifier**

Product Name 1233 ALMATEK® GENERAL PURPOSE LUBRICANT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Lubricant

Uses advised against Consumer use

1.3. Details of the supplier of the safety data sheet**Importer**

Master Fluid Solutions
501 W. Boundary Street
Perrysburg, OH 43551
USA
+1 419-874-7902

Manufacturer

Lubrication Engineers Inc.
1919 E. Tulsa
Wichita, KS 67216
USA
800-537-7683

For further information, please contact

techsupport@le-inc.net

1.4. Emergency telephone number

Emergency Telephone CHEMTREC: +1-703-527-3887 (INTERNATIONAL)
1-800-424-9300 (NORTH AMERICA)

SDS: 1233

1233 ALMATEK® GENERAL PURPOSE LUBRICANT

Issuing Date 04-24-2012

Revision Date 02-13-2019

Revision Number 2

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label Elements

Product Identifier

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard Statements

EUH210 - Safety data sheet available on request

2.3. Other Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Chemical name	EC-No	CAS No.	Weight-%	Classification (Reg. 1272/2008)	REACH Registration Number
Lithium Stearate	Present	4485-12-5	1 - 5	No data available	no data available

The producer of "1233" declares that it contains less than 3% DMSO extractable material by IP-346

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice

If symptoms develop move victim to fresh air. Show this safety data sheet to the doctor in attendance. Do not breathe dust/fume/gas/mist/vapors/spray.

Inhalation

Move to fresh air. Consult a physician. If not breathing, give artificial respiration.

Skin Contact

Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

Eye Contact

Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing.

SDS: 1233

1233 ALMATEK® GENERAL PURPOSE LUBRICANT

Issuing Date 04-24-2012

Revision Date 02-13-2019

Revision Number 2

Ingestion May cause adverse kidney effects. Drink plenty of water. Do NOT induce vomiting.

Protection of First-aiders Use personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, Carbon dioxide (CO2), Foam, Dry chemical

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Flash Point 204 °C / 399.2 °F

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Do not touch or walk through spilled material. Remove all sources of ignition.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning up Use personal protective equipment. Dam up. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

See Section 12 for more information.

Section 7: HANDLING AND STORAGE

SDS: 1233

1233 ALMATEK® GENERAL PURPOSE LUBRICANT

Issuing Date 04-24-2012

Revision Date 02-13-2019

Revision Number 2

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Prevent vapor buildup by providing adequate ventilation during and after use. Do not eat, drink or smoke when using this product.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Material Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational Exposure limits

Chemical name	European Union	The United Kingdom	France	Spain	Germany
Lithium Stearate 4485-12-5	-	-	-	TWA 10 mg/m ³	-
Chemical name	Italy	Portugal	The Netherlands	Finland	Denmark
Lithium Stearate 4485-12-5	-	TWA 10 mg/m ³ C(A4)	-	-	-
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Lithium Stearate 4485-12-5	-	-	-	-	TWA 10 mg/m ³ STEL 30 mg/m ³
Chemical name	Hungary	Belgium	Czech Republic	Greece	Sweden
Lithium Stearate 4485-12-5	-	TWA 10 mg/m ³	-	-	LLV 5 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/Face Protection

Tightly fitting safety goggles.

Hand Protection

Protective gloves.

Skin and Body Protection

Long sleeved clothing.

Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental Exposure Controls Do not allow material to contaminate ground water system.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

SDS: 1233

1233 ALMATEK® GENERAL PURPOSE LUBRICANT

Issuing Date 04-24-2012

Revision Date 02-13-2019

Revision Number 2

9.1. Information on basic physical and chemical properties

Physical state	Paste
appearance	red
Odor	Hydrocarbon-like
Odor threshold	No information available

<u>Property</u>	<u>Values</u>
pH	6 - 8
Melting Point / Freezing Point	No data available
Boiling point / boiling range	No data available
Flash Point	204 °C / 399.2 °F
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapor pressure	No data available
Vapor Density	< 1 (Air = 1)
Specific Gravity	0.95
Water solubility	negligible
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity, kinematic	not applicable
Explosive properties	No data available
Oxidizing Properties	No data available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact Not impact sensitive.**Sensitivity to Static Discharge** May be ignited by friction, heat, sparks or flames.

10.3. Possibility of hazardous reactions

Hazardous reactions None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SDS: 1233

1233 ALMATEK® GENERAL PURPOSE LUBRICANT

Issuing Date 04-24-2012

Revision Date 02-13-2019

Revision Number 2

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

The producer of "1233" declares that it contains less than 3% DMSO extractable material by IP-346

Inhalation	May cause irritation of respiratory tract.
Eye Contact	Contact with eyes may cause irritation.
Skin Contact	May cause irritation.
Ingestion	There is no data available for this product.

Unknown Acute Toxicity 44.71519% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

Component Information

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, hydrotreated heavy naphthenic	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Lithium Stearate	= 15 g/kg (Rat)	-	-
Petroleum distillates, hydrotreated light naphthenic	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2180 mg/m ³ (Rat) 4 h

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenic Effects No information available

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration Hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

SDS: 1233

1233 ALMATEK® GENERAL PURPOSE LUBRICANT

Issuing Date 04-24-2012

Revision Date 02-13-2019

Revision Number 2

Ecotoxicity None known

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

Mobility in soil No information available.

Mobility The product is insoluble and floats on water.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Dispose of in accordance with local regulations.

Contaminated Packaging Do not re-use empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

OTHER INFORMATION According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG Not regulated

ADR/RID Not regulated

ICAO/IATA Not regulated

SDS: 1233

1233 ALMATEK® GENERAL PURPOSE LUBRICANT

Issuing Date 04-24-2012

Revision Date 02-13-2019

Revision Number 2

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water hazard class (WGK) 2

International Inventories

TSCA	Complies
DSL/NDSL	Not determined
EINECS/ELINCS	Not determined
ENCS	Not determined
IECSC	Complies
KECL	Not determined
PICCS	Complies
AICS	Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

No information available

Issuing Date 04-24-2012

Revision Date 02-13-2019

Reason for revision Formulation.

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SDS is available at www.LElubricants.com

End of Safety Data Sheet



SAFETY DATA SHEET

SDS: 1233

1233 ALMATEK® GENERAL PURPOSE LUBRICANT

Issuing Date 04-24-2012

Revision Date 02-13-2019

Revision Number 5

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier**Product Name** 1233 ALMATEK® GENERAL PURPOSE LUBRICANT**Other means of identification****Synonyms** No information available**Recommended use of the chemical and restrictions on use****Identified uses** Lubricant**Uses advised against** Consumer use**Details of the supplier of the safety data sheet****Manufacturer**Lubrication Engineers Inc.
1919 E. Tulsa
Wichita, KS 67216
USA
800-537-7683**Emergency Telephone Number**CHEMTREC: 1-800-424-9300 (NORTH AMERICA)
+1-703-527-3887 (INTERNATIONAL)

SDS: 1233

1233 ALMATEK® GENERAL PURPOSE LUBRICANT

Issuing Date 04-24-2012

Revision Date 02-13-2019

Revision Number 5

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

Emergency Overview

Signal Word

None

Hazard Statements

None

The product contains no substances which at their given concentration, are considered to be hazardous to health

appearance red**Physical state** Paste**Odor** Hydrocarbon-like

Precautionary Statements - Prevention

None.

Response

None.

Eyes

None.

Skin

None.

Inhalation

None.

Ingestion

None.

Fire

None.

Spill

None.

Storage

None.

Disposal

None.

Hazards not otherwise classified (HNOC)

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	50 - 60

SDS: 1233

1233 ALMATEK® GENERAL PURPOSE LUBRICANT

Issuing Date 04-24-2012

Revision Date 02-13-2019

Revision Number 5

Lithium Stearate	4485-12-5	1 - 5
------------------	-----------	-------

The producer of "1233" declares that it contains less than 3% DMSO extractable material by IP-346

4. FIRST AID MEASURES

First Aid Measures

General Advice	If symptoms develop move victim to fresh air. Show this safety data sheet to the doctor in attendance. Do not breathe dust/fume/gas/mist/vapors/spray.
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing.
Skin Contact	Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. Consult a physician. If not breathing, give artificial respiration.
Ingestion	May cause adverse kidney effects. Drink plenty of water. Do NOT induce vomiting.
Protection of First-aiders	Use personal protective equipment.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

<u>Flash Point</u>	204 °C / 399.2 °F
<u>Suitable Extinguishing Media</u>	Water spray, Carbon dioxide (CO2), Foam, Dry chemical
<u>Unsuitable Extinguishing Media</u>	Do not use a solid water stream as it may scatter and spread fire.
<u>Specific Hazards Arising from the Chemical</u>	Thermal decomposition can lead to release of irritating gases and vapors.
<u>Explosion Data</u>	
<u>Sensitivity to Mechanical Impact</u>	Not impact sensitive.
<u>Sensitivity to Static Discharge</u>	May be ignited by friction, heat, sparks or flames.
<u>Protective Equipment and Precautions for Firefighters</u>	Wear self-contained breathing apparatus and protective suit.

NFPA Health hazard 1 Flammability 1 Stability 1

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

SDS: 1233

1233 ALMATEK® GENERAL PURPOSE LUBRICANT

Issuing Date 04-24-2012

Revision Date 02-13-2019

Revision Number 5

Personal Precautions Do not touch or walk through spilled material. Remove all sources of ignition.

Environmental Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

Methods for Cleaning up Use personal protective equipment. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Prevent vapor buildup by providing adequate ventilation during and after use. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

Incompatible products. Strong oxidizing agents. Strong acids. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Lithium Stearate 4485-12-5	TWA: 10 mg/m ³ TWA: 3 mg/mg3	-	

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles.

Skin and Body Protection Long sleeved clothing. Protective gloves.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

SDS: 1233

1233 ALMATEK® GENERAL PURPOSE LUBRICANT

Issuing Date 04-24-2012

Revision Date 02-13-2019

Revision Number 5

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	Paste
appearance	red
Odor	Hydrocarbon-like
Odor threshold	No information available

Property

pH
 Melting Point / Freezing Point
 Boiling Point/Range
 Flash Point
 Upper flammability limit:
 Lower Flammability Limit
 Vapor pressure
 Vapor Density
 Specific Gravity
 Water solubility
 Partition Coefficient: n-octanol/water
 Autoignition Temperature
 Decomposition Temperature
 Viscosity, kinematic

Property

6 - 8
 No data available
 no data available
 204 °C / 399.2 °F
 No data available
 No data available
 No data available
 < 1 (Air = 1)
 0.95
 negligible
 no data available
 No data available
 No data available
 not applicable

10. STABILITY AND REACTIVITY

reactivity No information available

Chemical stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to Avoid Heat, flames and sparks. Contact with other chemicals

Incompatible Materials Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke)

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information
Inhalation	May cause irritation of respiratory tract.
Eye Contact	Contact with eyes may cause irritation.
Skin Contact	May cause irritation.
Ingestion	There is no data available for this product.

Component Information

SDS: 1233

1233 ALMATEK® GENERAL PURPOSE LUBRICANT

Issuing Date 04-24-2012

Revision Date 02-13-2019

Revision Number 5

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Lithium Stearate 4485-12-5	= 15 g/kg (Rat)	-	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

The producer of "1233" declares that it contains less than 3% DMSO extractable material by IP-346

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5	-	-	-	-

Reproductive toxicity No information available.

Target Organ Effects Respiratory system, Eyes, Skin.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 505948 mg/kg
ATEmix (dermal) 6072 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity None known

Chemical name	Algae/aquatic plants	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to daphnia and other aquatic invertebrates
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5	-	-	-	-

Persistence and Degradability No information available.

Bioaccumulation No information available.

Mobility The product is insoluble and floats on water.

SDS: 1233

1233 ALMATEK® GENERAL PURPOSE LUBRICANT

Issuing Date 04-24-2012

Revision Date 02-13-2019

Revision Number 5

Other Adverse Effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated Packaging Do not re-use empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

This product contains one or more substances that are listed with the State of California as a hazardous waste

Chemical name	California Hazardous Waste Status
Zinc diamylthiocarbamate 15337-18-5	Toxic

14. TRANSPORT INFORMATION

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Not determined
NDSL	Not determined
EINECS	Not determined
ELINCS	Not determined
ENCS	Not determined
IECSC	Complies
KECL	Not determined
PICCS	Complies
AICS	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SDS: 1233

1233 ALMATEK® GENERAL PURPOSE LUBRICANT

Issuing Date 04-24-2012

Revision Date 02-13-2019

Revision Number 5

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Zinc diamyldithiocarbamate - 15337-18-5	15337-18-5	0.25	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc diamyldithiocarbamate 15337-18-5		X		

CERCLA

This material does not contain any components with a CERCLA RQ.

U.S. State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

NFPA

Health hazard 1

Flammability 1

Stability 1

16. OTHER INFORMATION

Issuing Date 04-24-2012
Revision Date 02-13-2019
Reason for revision Formulation.

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SDS is available at www.LElubricants.com

End of Safety Data Sheet